Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
ы	2548	((sens\$3 detect\$3 monitor\$3) near3 current) same (cathode anode) same (diode OLED LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:50
L2	20	1 and (((adjust\$3 chang\$5 modif\$5) near3 voltage) same (anode cathode) same automatic\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:06
L3	337	1 and (((adjust\$3 chang\$5 modif\$5) near3 (current voltage)) same (anode cathode))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:58
L4	95	3 and ((adjust\$3 chang\$5 modif\$5) same automatic\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:07
L5	75	4 not 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:11
L6	781	(345/82).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:12
L7	26	1 and ("345"/\$7).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:12
L8	34	6 and ((sens\$3 detect\$3 monitor\$3) near3 current) and ((cathode anode) same (diode OLED LED))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:21
L9	22	(Shin?Tai near3 Lo).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:44
L10	38	6 and ((sens\$3 detect\$3 monitor\$3) near3 current) and (cathode anode) and (diode OLED LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:47
L11	37	10 not 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:50

	120		LIC DCDLID:	OD	ON	2005/04/12 16:50
L12	139	matrix and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:59
L13	122	12 not (5 2 7 8 11)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:59
L14	3377	(315/169.?).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:57
L15	309	14 and (((adjust\$3 chang\$5 modif\$5 var\$ 6) near3 (current voltage)) same (anode cathode))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:20
L16	207	15 and (matrix OLED LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:21
L17	201	16 not (5 2 7 8 11 13 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:22
L18	18914	(((adjust\$3 chang\$5 modif\$5 var\$6) near3 (current voltage)) same (anode cathode))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:20
L19	2280	18 and (matrix OLED)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:21
L20	243	19 and (((sens\$3 detect\$3 monitor\$3) near3 current) same (cathode anode))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:31
L21	0	16 not (5 2 7 8 11 13 9 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:22
L22	176	20 not (5 2 7 8 11 13 9 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:32
L23	461	19 and ((sens\$3 detect\$3 monitor\$3) near3 current) and (cathode anode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:32

L24	207	23 not (5 2 7 8 11 13 9 17 22)	US-PGPUB;	OR	ON	2005/04/12 17:33
1			USPAT;			
			EPO; JPO;			
			DERWENT			